

**Detailed Summary Tables—Eastern (Coastal)  
North Carolina Youth Tobacco Survey—2005  
N.C. Department of Health and Human Services**



**Surveillance and Evaluation Team  
Tobacco Prevention and Control Branch  
Department of Health and Human Services  
1932 Mail Service Center  
Raleigh, NC 27699-1932  
919-707-5400**

State of North Carolina / Michael F. Easley, Governor  
Department of Health and Human Services / Carmen Hooker Odom, Secretary  
[www.dhhs.state.nc.us](http://www.dhhs.state.nc.us)  
N.C. DHHS is an equal opportunity employer and provider. 04/06

### List of Middle School Tables

Table MS-1	Percentage of middle school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco), by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-2	Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-3	Percentage of middle school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-4	Percentage of middle school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-5	Percentage of middle school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005--Coastal (Eastern).
Table MS-6	Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-7	Percentage of middle school students who report smoking intentions, perceptions about smoking and susceptibility* to start smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-8	Percentage of middle school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-9	Percentage of middle school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-10	Percentage of middle school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-11	Percentage of middle school never and current smoking students who report one or more smokers among their four closest friends, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-12	Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-13	Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table MS-14	Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).

### List of High School Tables

Table HS-1	Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-2	Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-3	Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-4	Percentage of high school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-5	Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-6	Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-7	Percentage of high school students who report smoking intentions, perceptions about smoking and susceptibility* to start smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-8	Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-9	Percentage of high school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-10	Percentage of high school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-11	Percentage of high school never and current smoking students who report one or more smokers among their four closest friends, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-12	Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-13	Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).
Table HS-14	Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Coastal (Eastern).

**TABLE MS-1. Percentage of middle school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal)**

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco
<b>Gender</b>				
Female	31.4 (±4.2)†	26.6 (±4.5)	11.5 (±2.5)	7.0 (±2.8)
Male	35.5 (±5.9)	26.2 (±5.3)	18.6 (±4.1)	12.4 (±4.0)
<b>Grade</b>				
Sixth	26.5 (±7.0)	17.2 (±7.8)	13.3 (±4.4)	10.4 (±4.6)
Seventh	36.0 (±7.6)	27.2 (±6.3)	16.8 (±3.9)	9.7 (±5.6)
Eighth	37.8 (±6.1)	34.3 (±5.2)	15.0 (±4.6)	9.1 (±3.6)
<b>Race/ethnicity</b>				
White	32.7 (±5.5)	24.4 (±6.1)	12.3 (±4.0)	11.0 (±3.9)
Black	34.8 (±5.7)	28.6 (±4.6)	17.4 (±3.9)	8.6 (±2.6)
Hispanic	31.1 (±10.0)	27.6 (±10.9)	22.0 (±12.3)	7.1 (±4.9)
Other	31.6 (±12.7)	32.4 (±15.8)	17.0 (±8.0)	12.8 (±6.4)
<b>Total</b>	<b>33.5 (±3.7)</b>	<b>26.4 (±3.7)</b>	<b>15.7 (±3.6)</b>	<b>9.8 (±2.8)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?"

† Ninety-five percent confidence interval.

**TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis
<b>Gender</b>						
Female	9.5 (±2.0)†	5.0 (±2.5)	3.8 (±1.1)	1.9 (±0.9)	1.7 (±1.2)	1.7 (±1.2)
Male	13.7 (±2.9)	7.5 (±2.5)	6.5 (±2.3)	3.9 (±2.3)	2.7 (±1.6)	4.1 (±2.2)
<b>Grade</b>						
Sixth	9.4 (±4.8)	4.1 (±3.9)	4.9 (±3.2)	2.6 (±1.4)	1.0 (±1.1)	2.2 (±1.7)
Seventh	11.6 (±4.4)	4.7 (±1.9)	5.5 (±3.0)	3.5 (±2.3)	3.2 (±2.1)	4.0 (±3.4)
Eighth	13.7 (±5.2)	10.0 (±4.4)	5.1 (±2.8)	2.4 (±1.9)	2.4 (±2.3)	2.6 (±1.8)
<b>Race/ethnicity</b>						
White	10.0 (±4.0)	6.3 (±3.4)	2.9 (±1.8)	3.6 (±1.4)	1.1 (±1.3)	1.8 (±1.4)
Black	12.2 (±3.8)	5.7 (±1.5)	6.9 (±2.4)	2.1 (±1.2)	2.2 (±1.2)	3.7 (±2.3)
Hispanic	19.4 (±4.9)	10.8 (±8.6)	10.0 (±5.8)	2.8 (±3.8)	10.5 (±6.3)	6.0 (±5.8)
Other	16.2 (±9.4)	11.1 (±9.8)	9.4 (±7.6)	5.5 (±6.3)	5.5 (±4.7)	6.4 (±5.1)
<b>Total</b>	<b>11.7 (±1.7)</b>	<b>6.3 (±1.9)</b>	<b>5.2 (±1.2)</b>	<b>2.9 (±1.0)</b>	<b>2.2 (±0.9)</b>	<b>2.9 (±1.4)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE MS-3. Percentage of middle school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal).**

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	23.5 (±11.6)†	6.0 (±6.6)
Male	30.1 (±13.7)	7.4 (±3.7)
Grade		
Sixth	44.5 (±15.0)	4.4 (±5.3)
Seventh	27.2 (±15.9)	4.2 (±3.3)
Eighth	17.3 (±9.0)	9.9 (±7.6)
Race/ethnicity		
White	26.8 (±15.9)	10.7 (±9.1)
Black	25.2 (±10.2)	1.4 (±0.6)
Hispanic	40.3 (±26.7)	9.7 (±12.1)
Other	18.1 (±16.8)	16.7 (±20.0)
<b>Total</b>	<b>26.8 (±10.6)</b>	<b>6.7 (±4.3)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

† Ninety-five percent confidence interval.

**TABLE MS-4. Percentage of middle school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal).**

	Smoked on school property past 30 days
Gender	
Female	1.4 (±0.8)†
Male	2.3 (±1.3)
Grade	
Sixth	0.7 (±1.2)
Seventh	2.9 (±1.5)
Eighth	1.9 (±1.5)
Race/ethnicity	
White	1.2 (±1.1)
Black	2.3 (±1.1)
Hispanic	3.7 (±4.3)
Other	4.5 (±6.2)
<b>Total</b>	<b>1.8 (±0.7)</b>

† Ninety-five percent confidence interval.

**TABLE MS-5. Percentage of middle school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	<b>Frequent cigarette smoking</b>
<b>Gender</b>	
Female	1.0 (±1.2)†
Male	1.3 (±1.1)
<b>Grade</b>	
Sixth	0.5 (±0.6)
Seventh	0.0 (±0.0)
Eighth	2.9 (±2.6)
<b>Race/ethnicity</b>	
White	2.0 (±1.9)
Black	0.0 (±0.0)
Hispanic	1.2 (±2.3)
Other	3.1 (±5.9)
<b>Total</b>	<b>1.1 (±1.0)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE MS-6. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal).**

	<b>Current Smoker</b>
<b>Social Sources:</b>	
Gave someone else money to buy them for me	33.0 (±14.8)†
Borrowed (or bummed) them from someone else	11.9 (±9.9)
Person 18 years or older gave them to me	4.8 (±6.2)
<b>Direct Purchase:</b>	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	7.0 (±8.4)
Bought them from a vending machine	2.3 (±4.3)
<b>Other Sources:</b>	
Took them from store or family member	12.3 (±10.1)
Got them some other way	28.8 (±16.2)
<b>Total</b>	<b>100</b>

† Ninety-five percent confidence interval.

**TABLE MS-7. Percentage of middle school students who report smoking intentions, perceptions about smoking and susceptibility\* to start smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal).**

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking cigarettes during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent (or guardian) about the dangers of tobacco use	Think people can get addicted to using tobacco just like getting addicted to cocaine or heroin	Think young people who smoke cigarettes have more friends	Think smoking cigarettes makes young people look cool or fit in	Never smokers susceptible to start smoking
Gender								
Female	94.0 (±1.8)†	85.2 (±4.3)	84.6 (±3.1)	70.5 (±4.1)	88.5 (±3.7)	23.1 (±3.1)	11.9 (±3.1)	22.1 (±3.9)
Male	97.7 (±1.5)	84.7 (±3.8)	86.4 (±4.3)	70.9 (±3.4)	81.7 (±4.3)	22.9 (±4.8)	15.9 (±4.7)	22.9 (±4.5)
Grade								
Sixth	97.1 (±2.3)	90.4 (±3.0)	87.6 (±4.1)	70.8 (±7.3)	83.4 (±4.9)	20.7 (±5.8)	12.4 (±4.7)	17.0 (±4.9)
Seventh	94.8 (±2.9)	81.7 (±8.6)	85.2 (±7.3)	68.3 (±5.7)	84.0 (±4.2)	25.0 (±6.4)	13.9 (±6.0)	25.6 (±8.1)
Eighth	95.4 (±3.4)	82.0 (±4.8)	83.2 (±3.4)	73.0 (±4.3)	88.4 (±4.4)	23.3 (±7.9)	15.3 (±4.3)	25.7 (±6.8)
Race/ethnicity								
White	97.4 (±1.5)	85.3 (±3.4)	87.1 (±4.4)	76.8 (±3.7)	89.3 (±2.6)	15.5 (±4.2)	9.3 (±3.9)	21.2 (±4.3)
Black	93.0 (±2.9)	83.5 (±5.4)	82.2 (±4.5)	64.8 (±5.5)	80.4 (±3.7)	32.2 (±3.5)	18.6 (±4.5)	25.2 (±5.8)
Hispanic	98.4 (±3.0)	90.7 (±8.1)	90.3 (±8.9)	67.0 (±10.0)	80.4 (±12.9)	23.1 (±10.2)	17.1 (±7.5)	16.9 (±12.4)
Other	100.0 (±0.0)	92.0 (±11.9)	97.6 (±4.4)	61.3 (±12.6)	91.6 (±4.9)	21.5 (±12.3)	22.4 (±12.3)	17.0 (±16.4)
<b>Total</b>	<b>95.9 (±1.4)</b>	<b>85.0 (±3.1)</b>	<b>85.5 (±2.9)</b>	<b>70.7 (±2.7)</b>	<b>85.1 (±2.5)</b>	<b>23.1 (±3.1)</b>	<b>14.0 (±3.4)</b>	<b>22.4 (±3.3)</b>

\* Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

† Ninety-five percent confidence interval.



**TABLE MS-8. Percentage of middle school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising\*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products	Receptive to tobacco advertising
<b>Gender</b>					
Female	71.8 (±4.3)†	82.1 (±4.8)	46.5 (±6.0)	84.9 (±4.0)	5.6 (±2.8)
Male	64.0 (±5.9)	79.6 (±3.6)	38.0 (±4.8)	82.3 (±3.8)	9.5 (±2.8)
<b>Grade</b>					
Sixth	64.0 (±7.4)	74.3 (±3.3)	32.1 (±4.8)	76.7 (±3.3)	5.8 (±2.5)
Seventh	66.4 (±6.1)	80.9 (±5.2)	42.9 (±7.3)	84.5 (±5.3)	7.6 (±3.6)
Eighth	72.5 (±6.7)	87.2 (±4.2)	51.6 (±3.8)	89.4 (±4.0)	9.3 (±3.9)
<b>Race/ethnicity</b>					
White	73.2 (±5.3)	83.7 (±4.1)	41.5 (±6.0)	85.1 (±3.8)	6.2 (±2.7)
Black	62.6 (±5.3)	77.0 (±4.5)	43.0 (±6.1)	81.7 (±4.3)	9.9 (±3.1)
Hispanic	56.2 (±7.2)	84.2 (±12.8)	42.6 (±12.5)	84.4 (±12.7)	3.4 (±3.6)
Other	72.6 (±14.1)	72.3 (±12.9)	37.2 (±11.4)	76.2 (±7.3)	9.7 (±8.4)
<b>Total</b>	<b>67.7 (±4.4)</b>	<b>80.8 (±3.3)</b>	<b>42.2 (±4.6)</b>	<b>83.6 (±3.4)</b>	<b>7.6 (±1.8)</b>

\* The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.

† Ninety-five percent confidence interval.

**TABLE MS-9. Percentage of middle school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Were taught about the dangers of tobacco use at school	At school this year practiced ways to say 'No' to tobacco
<b>Gender</b>		
Female	47.1 (±7.6)†	28.4 (±5.8)
Male	42.2 (±7.4)	29.8 (±5.0)
<b>Grade</b>		
Sixth	46.3 (±7.7)	38.5 (±6.3)
Seventh	39.7 (±10.6)	24.0 (±7.4)
Eighth	47.1 (±10.5)	24.6 (±7.5)
<b>Race/ethnicity</b>		
White	41.5 (±8.4)	24.3 (±5.6)
Black	47.3 (±6.1)	34.9 (±5.7)
Hispanic	53.4 (±11.7)	31.1 (±11.7)
Other	53.3 (±17.2)	30.8 (±14.6)
<b>Total</b>	<b>44.6 (±6.5)</b>	<b>29.1 (±4.7)</b>

† Ninety-five percent confidence interval.

**TABLE MS-10. Percentage of middle school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Were in the same room with someone who was smoking a cigarette on 1+ days during past 7 days	Rode in the same car with someone who was smoking a cigarette on 1+ days during past 7 days
Gender		
Female	51.2 (±5.4)†	40.6 (±3.9)
Male	39.0 (±6.6)	32.7 (±5.4)
Grade		
Sixth	38.4 (±6.2)	34.8 (±6.1)
Seventh	49.8 (±7.7)	40.2 (±6.5)
Eighth	48.4 (±7.3)	35.0 (±2.3)
Race/ethnicity		
White	47.8 (±7.0)	38.3 (±3.7)
Black	43.3 (±7.0)	35.8 (±3.8)
Hispanic	32.1 (±15.2)	25.5 (±12.3)
Other	38.8 (±18.9)	29.3 (±20.5)
<b>Total</b>	<b>45.1 (±4.1)</b>	<b>36.6 (±2.6)</b>

† Ninety-five percent confidence interval.

**TABLE MS-11. Percentage of middle school never and current smoking students who report one or more smokers among their four closest friends, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal).**

	Never Smoker	Current Smoker
Gender		
Female	21.8 (±6.5)†	82.6 (±16.2)
Male	23.1 (±5.8)	81.4 (±10.6)
Grade		
Sixth	20.2 (±6.3)	69.3 (±22.8)
Seventh	24.4 (±7.9)	86.0 (±16.1)
Eighth	23.4 (±5.3)	84.6 (±11.0)
Race/ethnicity		
White	17.9 (±5.5)	88.4 (±14.3)
Black	30.0 (±8.2)	80.0 (±16.4)
Hispanic	14.6 (±8.7)	61.1 (±36.0)
Other	26.2 (±11.2)	62.5 (±58.3)
<b>Total</b>	<b>22.5 (±4.9)</b>	<b>81.9 (±9.0)</b>

† Ninety-five percent confidence interval.

**TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal).**

	<b>Who think that they would be able to quit cigarette smoking now if they wanted to</b>	<b>Who want to stop smoking cigarettes</b>	<b>Tried to quit during at least once in the past 12 months-</b>	<b>When they last tried to quit, stayed off cigarettes for less than 30 days</b>	<b>Have ever participated in a program to help quit using tobacco</b>
<b>Gender</b>					
Female	73.0 (±18.6)†	51.5 (±22.7)	64.1 (±26.2)	37.7 (±25.2)	9.3 (±11.4)
Male	56.8 (±23.1)	33.6 (±15.5)	70.8 (±18.9)	46.8 (±19.6)	13.3 (±13.2)
<b>Grade</b>					
Sixth	37.3 (±21.0)	42.3 (±20.8)	70.3 (±26.0)	50.2 (±28.4)	0.0 (±0.0)
Seventh	63.9 (±30.9)	26.5 (±30.3)	49.3 (±24.5)	23.1 (±20.2)	23.2 (±23.2)
Eighth	74.4 (±11.0)	45.2 (±24.3)	76.3 (±21.8)	49.3 (±20.3)	10.5 (±11.0)
<b>Race/ethnicity</b>					
White	75.1 (±17.7)	45.4 (±17.5)	66.2 (±21.7)	49.1 (±21.4)	4.2 (±8.8)
Black	53.9 (±19.6)	44.6 (±27.7)	87.2 (±17.9)	41.0 (±23.4)	26.0 (±19.0)
Hispanic	50.6 (±41.4)	9.4 (±18.1)	9.5 (±18.6)	22.6 (±25.3)	0.0 (±0.0)
Other	55.0 (±68.6)	41.3 (±51.5)	62.5 (±58.3)	34.4 (±45.8)	0.0 (±0.0)
<b>Total</b>	<b>64.2 (±12.9)</b>	<b>40.6 (±11.7)</b>	<b>67.7 (±17.2)</b>	<b>43.2 (±14.9)</b>	<b>11.6 (±8.1)</b>

† Ninety-five percent confidence interval.

**TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal) “Think young people risk harming themselves if they smoke between 1 and 5 cigarettes per day”**

	Never Smoker	Current Smoker
Gender		
Female	91.2 (±4.0)†	76.2 (±13.5)
Male	84.8 (±4.9)	84.4 (±11.0)
Grade		
Sixth	86.5 (±5.9)	87.2 (±20.0)
Seventh	88.6 (±5.5)	70.5 (±27.0)
Eighth	89.0 (±5.3)	83.6 (±9.9)
Race/ethnicity		
White	92.0 (±3.4)	79.1 (±14.1)
Black	82.5 (±5.3)	91.9 (±11.2)
Hispanic	86.8 (±11.5)	57.8 (±36.2)
Other	85.4 (±5.9)	51.1 (±46.1)
<b>Total</b>	<b>88.0 (±3.1)</b>	<b>81.0 (±8.3)</b>

† Ninety-five percent confidence interval.

**TABLE MS-14. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal). “Think it is safe to smoke a year or two, as long as you quit after that”**

	Never Smoker	Current Smoker
Gender		
Female	6.3 (±2.8)†	32.8 (±17.2)
Male	6.9 (±3.2)	33.8 (±8.7)
Grade		
Sixth	5.2 (±2.8)	40.4 (±16.5)
Seventh	7.9 (±4.9)	42.2 (±16.1)
Eighth	6.7 (±2.7)	26.8 (±13.7)
Race/ethnicity		
White	4.4 (±2.3)	35.9 (±15.4)
Black	10.0 (±3.9)	21.8 (±17.3)
Hispanic	3.9 (±5.8)	60.4 (±29.2)
Other	4.7 (±9.0)	13.6 (±14.9)
<b>Total</b>	<b>6.6 (±2.0)</b>	<b>33.3 (±7.9)</b>

† Ninety-five percent confidence interval.

**TABLE HS-1. Percentage of high school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco
<b>Gender</b>				
Female	61.0 (±7.2)†	60.2 (±7.9)	29.1 (±7.5)	10.6 (±3.6)
Male	63.0 (±8.5)	59.4 (±8.7)	41.6 (±8.4)	25.4 (±7.3)
<b>Grade</b>				
Ninth	54.6 (±10.9)	50.0 (±11.8)	27.2 (±8.7)	13.4 (±4.5)
Tenth	66.8 (±8.1)	64.9 (±7.7)	39.1 (±8.2)	17.0 (±7.1)
Eleventh	60.5 (±12.7)	60.6 (±11.3)	35.4 (±10.1)	23.1 (±9.2)
Twelfth	69.5 (±9.2)	68.4 (±9.3)	42.6 (±9.6)	20.7 (±9.1)
<b>Race/ethnicity</b>				
White	63.5 (±9.3)	59.9 (±10.2)	39.1 (±10.1)	24.3 (±6.8)
Black	59.4 (±5.8)	58.7 (±6.2)	29.9 (±5.4)	9.0 (±2.5)
Hispanic	66.0 (±12.2)	67.8 (±12.0)	34.1 (±13.1)	15.9 (±11.7)
Other	73.6 (±10.0)	67.3 (±12.9)	43.3 (±18.9)	38.3 (±20.2)
<b>Total</b>	<b>62.1 (±7.2)</b>	<b>59.9 (±7.7)</b>	<b>35.2 (±6.8)</b>	<b>17.9 (±4.9)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?" Ever use of bidis was determined by asking, "Have you ever tried smoking bidis, even one of two puffs?"

† Ninety-five percent confidence interval.

**TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005 Eastern (Coastal).**

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis
<b>Gender</b>						
Female	24.2 (±8.0)†	21.1 (±7.9)	9.1 (±3.4)	1.7 (±1.0)	2.0 (±1.0)	2.0 (±1.1)
Male	33.0 (±7.9)	21.4 (±5.9)	16.4 (±5.3)	11.8 (±4.1)	6.5 (±2.7)	5.8 (±2.2)
<b>Grade</b>						
Ninth	19.3 (±6.7)	13.4 (±5.7)	8.2 (±4.1)	5.6 (±3.2)	2.0 (±1.7)	1.7 (±1.3)
Tenth	34.8 (±10.3)	27.8 (±8.6)	15.3 (±5.8)	7.8 (±4.2)	6.6 (±4.7)	5.9 (±3.4)
Eleventh	28.1 (±10.4)	19.8 (±8.6)	15.3 (±5.6)	7.0 (±4.2)	4.2 (±1.9)	4.9 (±2.6)
Twelfth	35.9 (±10.6)	27.2 (±9.2)	14.0 (±4.3)	7.6 (±5.2)	5.6 (±5.0)	4.6 (±4.6)
<b>Race/ethnicity</b>						
White	33.5 (±10.1)	26.5 (±9.5)	15.2 (±5.3)	9.6 (±3.5)	4.7 (±2.8)	3.9 (±1.4)
Black	21.4 (±6.2)	14.6 (±4.8)	9.5 (±3.5)	2.5 (±2.2)	3.7 (±1.6)	3.9 (±2.0)
Hispanic	24.5 (±12.7)	17.4 (±10.7)	9.6 (±6.5)	11.1 (±9.2)	5.6 (±6.6)	6.6 (±6.3)
Other	62.7 (±15.5)	27.3 (±17.1)	33.4 (±19.7)	21.6 (±15.6)	5.5 (±8.1)	11.4 (±12.1)
<b>Total</b>	<b>28.7 (±7.7)</b>	<b>21.4 (±6.6)</b>	<b>12.9 (±3.9)</b>	<b>6.9 (±2.6)</b>	<b>4.4 (±1.6)</b>	<b>4.1 (±1.5)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE HS-3. Percentage of high school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	8.4 ( $\pm 3.0$ )†	21.2 ( $\pm 8.2$ )
Male	16.4 ( $\pm 4.3$ )	21.9 ( $\pm 5.9$ )
Grade		
Ninth	14.6 ( $\pm 3.9$ )	14.4 ( $\pm 4.9$ )
Tenth	14.8 ( $\pm 6.0$ )	25.4 ( $\pm 8.2$ )
Eleventh	8.9 ( $\pm 4.0$ )	19.9 ( $\pm 10.4$ )
Twelfth	11.5 ( $\pm 4.1$ )	26.7 ( $\pm 9.4$ )
Race/ethnicity		
White	15.3 ( $\pm 4.3$ )	31.2 ( $\pm 9.5$ )
Black	8.4 ( $\pm 2.1$ )	8.0 ( $\pm 2.8$ )
Hispanic	17.7 ( $\pm 10.8$ )	17.3 ( $\pm 11.2$ )
Other	12.5 ( $\pm 14.5$ )	25.9 ( $\pm 20.6$ )
<b>Total</b>	<b>12.6 (<math>\pm 2.3</math>)</b>	<b>21.5 (<math>\pm 6.0</math>)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

† Ninety-five percent confidence interval.

**TABLE HS-4. Percentage of high school students who report smoking cigarettes on school property during the 30 days preceding the survey, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Smoked on school property past 30 days
Gender	
Female	9.2 ( $\pm 4.6$ )†
Male	11.4 ( $\pm 5.1$ )
Grade	
Ninth	5.8 ( $\pm 3.7$ )
Tenth	16.6 ( $\pm 8.6$ )
Eleventh	7.8 ( $\pm 5.6$ )
Twelfth	12.1 ( $\pm 6.6$ )
Race/ethnicity	
White	11.7 ( $\pm 5.6$ )
Black	8.0 ( $\pm 4.2$ )
Hispanic	13.0 ( $\pm 9.2$ )
Other	8.5 ( $\pm 9.2$ )
<b>Total</b>	<b>10.3 (<math>\pm 4.4</math>)</b>

† Ninety-five percent confidence interval.



**TABLE HS-5. Percentage of high school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal).**

	<b>Frequent cigarette smoking</b>
<b>Gender</b>	
Female	9.2 ( $\pm 4.3$ )†
Male	8.5 ( $\pm 3.3$ )
<b>Grade</b>	
Ninth	3.8 ( $\pm 2.1$ )
Tenth	12.6 ( $\pm 4.8$ )
Eleventh	7.1 ( $\pm 4.7$ )
Twelfth	13.6 ( $\pm 5.1$ )
<b>Race/ethnicity</b>	
White	12.8 ( $\pm 5.3$ )
Black	3.1 ( $\pm 1.7$ )
Hispanic	8.8 ( $\pm 4.8$ )
Other	17.4 ( $\pm 14.1$ )
<b>Total</b>	<b>8.8 (<math>\pm 3.2</math>)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE HS-6. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal).**

	<b>Current Smoker</b>
<b>Social Sources:</b>	
Gave someone else money to buy them for me	32.6 ( $\pm 7.2$ )†
Borrowed (or bummed) them from someone else	24.3 ( $\pm 6.0$ )
Person 18 years or older gave them to me	8.4 ( $\pm 3.6$ )
<b>Direct Purchase:</b>	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	16.8 ( $\pm 4.7$ )
Bought them from a vending machine	0.8 ( $\pm 1.6$ )
<b>Other Sources:</b>	
Took them from store or family member	5.6 ( $\pm 3.5$ )
Got them some other way	11.5 ( $\pm 4.8$ )
<b>Total</b>	<b>100</b>

† Ninety-five percent confidence interval.

**TABLE HS-7. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent (or guardian) about the dangers of tobacco use	Think people can get addicted to using tobacco just like getting addicted to cocaine or heroin	Think young people who smoke cigarettes have more friends	Think smoking cigarettes makes young people look cool or fit in	Never smokers who are susceptible to start smoking
Gender								
Female	95.8 (±3.0)†	81.6 (±5.8)	80.7 (±7.0)	61.4 (±5.4)	94.2 (±2.5)	25.3 (±6.7)	10.7 (±3.2)	25.3 (±8.1)
Male	96.1 (±2.8)	82.6 (±6.6)	86.9 (±5.1)	62.3 (±3.6)	85.9 (±3.1)	31.3 (±6.3)	24.3 (±6.1)	22.0 (±7.0)
Grade								
Ninth	96.2 (±2.3)	81.0 (±6.7)	85.9 (±5.0)	68.7 (±5.1)	88.8 (±3.9)	27.3 (±8.7)	17.0 (±4.9)	23.0 (±6.6)
Tenth	93.7 (±5.4)	78.0 (±8.2)	82.2 (±7.5)	65.0 (±6.8)	88.9 (±4.8)	32.7 (±11.3)	20.8 (±7.1)	26.7 (±10.2)
Eleventh	96.2 (±5.3)	86.8 (±6.0)	79.9 (±9.8)	57.6 (±8.0)	89.0 (±3.1)	24.3 (±6.7)	16.1 (±4.8)	25.4 (±8.4)
Twelfth	98.2 (±3.3)	85.9 (±11.3)	87.5 (±8.9)	51.3 (±8.7)	93.2 (±3.4)	27.5 (±8.4)	14.7 (±6.9)	17.4 (±11.4)
Race/ethnicity								
White	96.0 (±2.7)	79.3 (±6.2)	82.4 (±4.4)	65.9 (±2.8)	92.5 (±2.6)	20.2 (±7.0)	13.2 (±4.4)	24.8 (±6.3)
Black	95.8 (±3.4)	86.3 (±6.8)	86.4 (±6.8)	55.7 (±5.1)	87.1 (±3.7)	38.4 (±6.4)	22.1 (±6.0)	21.8 (±9.3)
Hispanic	96.6 (±6.4)	72.4 (±17.9)	72.4 (±17.9)	70.2 (±11.7)	84.8 (±10.8)	29.6 (±11.7)	26.9 (11.4)	32.2 (±20.2)
Other	100.0 (±0.0)	85.9 (±17.6)	85.9 (±17.6)	55.2 (±19.8)	83.9 (±12.0)	35.4 (±20.9)	23.1 (±16.4)	14.1 (±17.6)
<b>Total</b>	<b>96.0 (±2.2)</b>	<b>82.1 (±4.4)</b>	<b>83.8 (±3.5)</b>	<b>61.9 (±3.2)</b>	<b>89.8 (±2.5)</b>	<b>28.3 (±6.1)</b>	<b>17.5 (±4.2)</b>	<b>23.6 (±5.0)</b>

\* Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

† Ninety-five percent confidence interval.

**TABLE HS-8. Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising\*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products	Receptive to tobacco advertising
Gender					
Female	80.2 (±2.3)†	90.1 (±2.2)	44.8 (±3.5)	92.7 (±1.7)	10.7 (±2.6)
Male	73.4 (±5.3)	90.2 (±3.0)	43.5 (±5.5)	91.3 (±2.8)	18.5 (±4.6)
Grade					
Ninth	77.9 (±4.0)	89.3 (±4.0)	45.8 (±4.9)	91.7 (±3.5)	14.6 (±5.3)
Tenth	74.6 (±5.3)	92.1 (±3.5)	44.6 (±5.8)	93.9 (±2.4)	19.5 (±7.4)
Eleventh	77.1 (±5.8)	87.7 (±4.4)	45.2 (±9.0)	88.5 (±4.8)	10.7 (±6.1)
Twelfth	77.2 (±5.4)	91.6 (±5.0)	39.3 (±8.9)	93.6 (±4.0)	12.9 (±5.9)
Race/ethnicity					
White	79.8 (±5.0)	90.3 (±2.8)	40.4 (±3.5)	91.8 (±2.4)	19.0 (±5.0)
Black	72.6 (±3.8)	89.8 (±3.8)	49.3 (±4.6)	92.3 (±3.3)	9.9 (±2.5)
Hispanic	77.1 (±10.8)	94.2 (±4.8)	51.5 (±9.0)	94.6 (±3.4)	7.8 (±5.9)
Other	78.5 (±15.3)	77.0 (±21.7)	29.6 (±16.9)	77.4 (±21.3)	7.0 (±8.2)
<b>Total</b>	<b>76.8 (±3.1)</b>	<b>90.1 (±2.3)</b>	<b>44.1 (±3.1)</b>	<b>91.9 (±1.9)</b>	<b>14.6 (±3.5)</b>

\* The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.

† Ninety-five percent confidence interval.

**TABLE HS-9. Percentage of high school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Were taught about the dangers of tobacco use at school	At school this year practiced ways to say 'No' to tobacco
Gender		
Female	35.6 (±6.7)†	15.2 (±3.7)
Male	36.0 (±5.5)	17.3 (±3.6)
Grade		
Ninth	44.7 (±9.5)	24.0 (±4.6)
Tenth	38.5 (±8.2)	18.2 (±5.3)
Eleventh	22.1 (±4.6)	9.9 (±3.1)
Twelfth	32.9 (±7.1)	9.2 (±2.7)
Race/ethnicity		
White	34.3 (±7.4)	11.9 (±3.3)
Black	38.3 (±6.2)	21.4 (±4.6)
Hispanic	33.1 (±12.7)	21.4 (±8.9)
Other	27.3 (±19.6)	20.0 (±11.3)
<b>Total</b>	<b>35.8 (±5.5)</b>	<b>16.4 (±3.1)</b>

† Ninety-five percent confidence interval.

**TABLE HS-10. Percentage of high school never smoking students who report they were in the same room or rode in car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal).**

	Were in the same room with someone who was smoking a cigarette on 1+ days during past 7 days	Rode in the same car with someone who was smoking a cigarette on 1+ days during past 7 days
<b>Gender</b>		
Female	61.2 (±7.3)†	36.0 (±4.1)
Male	52.9 (±8.0)	35.8 (±5.5)
<b>Grade</b>		
Ninth	55.5 (±5.3)	35.4 (±8.2)
Tenth	54.0 (±6.3)	35.7 (±12.5)
Eleventh	59.9 (±11.0)	32.8 (±12.1)
Twelfth	59.9 (±15.2)	41.1 (±17.2)
<b>Race/ethnicity</b>		
White	65.1 (±8.9)	38.9 (±5.5)
Black	46.3 (±7.6)	31.6 (±7.5)
Hispanic	54.6 (±25.9)	39.3 (±19.3)
Other	76.2 (±16.2)	47.2 (±23.6)
<b>Total</b>	<b>57.0 (±6.0)</b>	<b>35.9 (±3.8)</b>

† Ninety-five percent confidence interval.

**TABLE HS-11. Percentage of high school never and current smoking students who report one or more smokers among their four closest friends, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal)**

	Never Smoker	Current Smoker
<b>Gender</b>		
Female	25.5 (±9.8)†	93.6(±4.2)
Male	26.4 (±8.5)	86.1(±4.7)
<b>Grade</b>		
Ninth	15.8 (±8.1)	89.8(±9.7)
Tenth	42.6 (±13.9)	89.0(±7.5)
Eleventh	22.1 (±8.7)	89.3(±10.0)
Twelfth	30.4 (±13.2)	91.8(±6.8)
<b>Race/ethnicity</b>		
White	21.3 (±7.5)	90.1(±4.6)
Black	29.8 (±8.4)	91.1(±7.2)
Hispanic	57.0 (±21.5)	68.3(±43.4)
Other	27.5 (±21.1)	100.0(±0.0)
<b>Total</b>	<b>26.0 (±7.6)</b>	<b>90.0(±3.8)</b>

† Ninety-five percent confidence interval.

**TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

	Who think that they would be able to quit cigarette smoking now if they wanted to	Who want to stop smoking cigarettes	Tried to quit during at least once in the past 12 months-	When they last tried to quit, stayed off cigarettes for less than 30 days	Have ever participated in a program to help quit using tobacco
<b>Gender</b>					
Female	73.6 (±9.8)†	51.8 (±11.9)	61.2 (±11.0)	49.0 (±11.1)	7.7 (±4.4)
Male	80.8 (±7.2)	48.0 (±17.4)	56.7 (±11.5)	47.4 (±9.2)	11.0 (±5.0)
<b>Grade</b>					
Ninth	76.3 (±14.1)	42.4 (±19.7)	55.1 (±13.1)	44.3 (±16.2)	11.0 (±6.0)
Tenth	77.9 (±6.4)	51.8 (±18.6)	68.8 (±12.5)	51.0 (±11.8)	9.8 (±7.8)
Eleventh	81.4 (±11.7)	38.4 (±18.5)	54.6 (±17.5)	45.9 (±14.8)	6.6 (±9.2)
Twelfth	72.7 (±10.6)	61.7 (±12.5)	54.0 (±14.2)	50.4 (±16.0)	9.6 (±8.2)
<b>Race/ethnicity</b>					
White	71.8 (±7.2)	48.7 (±12.5)	55.8 (±12.2)	52.8 (±10.3)	10.2 (±6.4)
Black	90.1 (±8.1)	56.9 (±17.0)	65.8 (±12.5)	38.0 (±18.6)	6.4 (±7.2)
Hispanic	94.6 (±12.5)	22.4 (±27.6)	52.4 (±26.6)	36.5 (±34.3)	13.9 (±8.8)
Other	71.2 (±33.1)	73.9 (±31.2)	74.4 (±23.5)	48.8 (±30.0)	13.8 (±24.4)
<b>Total</b>	<b>77.0 (±5.6)</b>	<b>50.1 (±10.8)</b>	<b>59.1 (±9.2)</b>	<b>48.1 (±7.4)</b>	<b>9.3 (±3.7)</b>

† Ninety-five percent confidence interval.

**TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005—Eastern (Coastal)**

**“Think young people risk harming themselves if they smoke between 1 and 5 cigarettes per day”**

	Never Smoker	Current Smoker
Gender		
Female	96.1 (±2.5)†	87.4 (±5.6)
Male	93.3 (±4.3)	75.4 (±8.6)
Grade		
Ninth	92.3 (±5.2)	72.9 (±8.6)
Tenth	93.0 (±5.2)	81.4 (±9.0)
Eleventh	97.1 (±3.0)	90.6 (±5.6)
Twelfth	100.0 (±0.0)	80.9 (±14.9)
Race/ethnicity		
White	96.8 (±1.8)	87.0 (±5.6)
Black	92.1 (±4.3)	72.2 (±14.5)
Hispanic	95.3 (±9.4)	50.4 (±30.2)
Other	90.4 (±16.7)	94.1 (±10.7)
<b>Total</b>	<b>94.7 (±2.4)</b>	<b>81.5 (±6.0)</b>

† Ninety-five percent confidence interval.

**TABLE HS-14. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2005— Eastern (Coastal)**

**“Think it is safe to smoke a year or two, as long as you quit after that”**

	Never Smoker	Current Smoker
Gender		
Female	3.8 (±1.8)†	19.3 (±7.4)
Male	6.0 (±4.7)	36.3 (±8.7)
Grade		
Ninth	6.3 (±3.3)	29.8 (±17.9)
Tenth	6.4 (±5.1)	34.8 (±14.6)
Eleventh	1.0 (±2.0)	30.1 (±11.2)
Twelfth	4.3 (±4.6)	15.0 (±11.3)
Race/ethnicity		
White	5.6 (±3.3)	26.3 (±8.4)
Black	2.9 (±2.5)	29.5 (±7.2)
Hispanic	9.7 (±10.9)	58.3 (±37.0)
Other	30.2 (±22.7)	22.5 (±31.0)
<b>Total</b>	<b>4.9 (±2.6)</b>	<b>28.0 (±6.5)</b>

† Ninety-five percent confidence interval.