



## Detailed Summary Tables— Statewide

*North Carolina Youth Tobacco Survey 2011*

*Middle School and High School Tables*

N.C. Department of Health and Human Services

Surveillance and Evaluation Team

Tobacco Prevention and Control Branch

Department of Health and Human Services

1932 Mail Service Center

Raleigh, NC 27699-1932

919-707-5400

[www.tobaccopreventionandcontrol.ncdhhs.gov](http://www.tobaccopreventionandcontrol.ncdhhs.gov)

State of North Carolina | Beverly Perdue, Governor

Department of Health and Human Services

Albert Dalia, Acting Secretary

[www.dhhs.state.nc.us](http://www.dhhs.state.nc.us)

N.C. DHHS is an equal opportunity employer and provider. 04/12

### List of Middle School Tables

Table MS-1	Percentage of middle school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-2	Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-3	Percentage of middle school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-4	Percentage of middle school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-5	Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-6	Percentage of middle school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-7	Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-8	Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-9	Percentage of middle school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-10	Percentage of middle school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-11	Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-12	Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table MS-13	Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

### List of High School Tables

Table HS-1	Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-2	Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-3	Percentage of high school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-4	Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-5	Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-6	Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-7	Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-8	Percentage of high school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-9	Percentage of high school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-10	Percentage of high school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-11	Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-12	Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table HS-13	Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

**TABLE MS-1. Percentage of middle school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/ Kreteks
<b>Gender</b>						
Female	22.9(±2.7)†	15.8(±2.0)	8.6(±1.7)	5.6(±1.4)	5.0(±1.1)	2.7(±0.8)
Male	27.1(±3.0)	17.9(±2.7)	12.6(±1.8)	10.6(±2.4)	6.1(±1.1)	3.8(±1.2)
<b>Grade</b>						
Sixth	14.5(±2.5)	8.2(±1.8)	6.1(±1.7)	4.8(±1.5)	2.7(±1.0)	1.7(±0.7)
Seventh	26.1(±3.0)	17.2(±2.6)	10.0(±1.6)	8.9(±2.1)	6.6(±1.2)	3.8(±1.3)
Eighth	34.7(±4.3)	25.3(±3.9)	16.0(±2.5)	10.9(±2.6)	7.6(±1.8)	4.3(±1.5)
<b>Race/ethnicity</b>						
White	23.6(±3.1)	15.9(±2.4)	9.4(±1.5)	10.2(±2.4)	6.0(±0.8)	2.9(±0.8)
Black	26.4(±2.1)	17.8(±2.1)	11.2(±1.9)	5.0(±1.1)	4.5(±1.5)	3.3(±1.3)
Hispanic	26.8(±3.6)	18.6(±2.6)	13.7(±2.0)	6.1(±2.1)	7.5(±1.5)	4.8(±2.0)
Other	30.5(±9.6)	20.6(±11.7)	15.9(±7.4)	11.6(±4.1)	5.3(±2.2)	3.7(±2.5)
<b>Total</b>	<b>25.0(±2.5)</b>	<b>16.9(±1.9)</b>	<b>10.7(±1.4)</b>	<b>8.2(±1.7)</b>	<b>5.6(±0.8)</b>	<b>3.3(±0.7)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?" † Ninety-five percent confidence interval.

**TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
<b>Gender</b>							
Female	6.0(±1.4)	3.9(±1.1)	2.5(±0.9)	1.7(±0.6)	2.0(±0.7)	1.1(±0.6)	1.3(±0.6)
Male	8.6(±1.8)	4.4(±1.1)	3.4(±0.9)	3.7(±1.1)	2.6(±0.7)	0.8(±0.4)	1.3(±0.5)
<b>Grade</b>							
Sixth	2.9(±1.2)	1.6(±0.9)	1.2(±0.5)	1.1(±0.5)	1.1(±0.6)	0.5(±0.4)	0.5(±0.4)
Seventh	7.0(±1.5)	3.5(±1.0)	2.5(±1.0)	3.0(±0.9)	2.4(±0.8)	0.9(±0.4)	1.6(±0.6)
Eighth	12.2(±2.8)	7.5(±2.3)	5.4(±1.3)	4.1(±1.3)	3.5(±1.0)	1.5(±0.7)	1.9(±0.8)
<b>Race/ethnicity</b>							
White	8.0(±1.5)	4.7(±1.0)	2.7(±0.9)	3.6(±0.9)	2.3(±0.7)	1.1(±0.4)	1.2(±0.5)
Black	5.5(±1.8)	3.2(±1.1)	3.1(±1.3)	1.0(±0.7)	1.3(±0.8)	0.4(±0.3)	0.6(±0.5)
Hispanic	8.2(±2.3)	3.9(±1.5)	4.5(±1.2)	2.5(±1.2)	4.1(±1.8)	1.9(±1.0)	3.2(±1.6)
Other	9.6(±5.3)	5.5(±4.5)	4.0(±2.6)	3.6(±2.1)	3.2(±2.2)	1.7(±1.6)	2.6(±1.9)
<b>Total</b>	<b>7.4(±1.4)</b>	<b>4.2(±0.9)</b>	<b>3.0(±0.8)</b>	<b>2.7(±0.7)</b>	<b>2.3(±0.6)</b>	<b>1.0(±0.3)</b>	<b>1.3(±0.4)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE MS-3. Percentage of middle school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Current Use</b>
Roll-Your-Own Cigarettes	2.7(±0.6)†
Flavored Cigarettes	1.7(±0.5)
Clove Cigars	0.4(±0.2)
Flavored Little Cigars	1.2(±0.4)
Hookah/Waterpipe	0.9(±0.3)
Snus	1.0(±0.3)
Dissolvables (e.g. orbs, strips, sticks)	0.4(±0.2)
Electronic Cigarettes	1.0(±0.3)
Other new product	1.8(±0.4)
Percent of current smokers using at least one of the above products	72.8(±7.3)

\*Current use defined as use on one or more of the past 30 days.)

† Ninety-five percent confidence interval.

**TABLE MS-4. Percentage of middle school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	36.9(±6.1)	3.8(±2.1)
Male	42.3(±5.4)	6.8(±2.9)
Grade		
Sixth	63.6(±10.7)	3.6(±4.0)
Seventh	43.6(±8.2)	4.7(±2.7)
Eighth	29.3(±4.1)	6.2(±2.9)
Race/ethnicity		
White	42.1(±5.8)	6.0(±2.5)
Black	31.8(±8.4)	3.1(±3.3)
Hispanic	48.6(±9.0)	6.3(±3.3)
Other	51.5(±19.9)	13.5(±7.2)
<b>Total</b>	<b>39.8(±4.4)</b>	<b>5.4(±1.9)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

† Ninety-five percent confidence interval.

**TABLE MS-5. Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Usually smokes menthol cigarettes
Gender	
Female	42.1(±11.6)†
Male	34.6(±10.0)
Grade	
Sixth	15.5(±15.6)
Seventh	35.1(±13.6)
Eighth	44.9(±7.4)
Race/ethnicity	
White	46.3(±7.8)
Black	15.2(±11.7)
Hispanic	35.1(±18.8)
Other	47.8(±19.1)
<b>Total</b>	<b>38.2(±6.4)</b>

† Ninety-five percent confidence interval.

**TABLE MS-6. Percentage of middle school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Frequent cigarette smoking
Gender	
Female	0.5(±0.3)
Male	0.8(±0.5)
Grade	
Sixth	0.1(±0.0)
Seventh	0.7(±0.4)
Eighth	1.1(±0.8)
Race/ethnicity	
White	0.8(±0.4)
Black	0.1(±0.2)
Hispanic	0.6(±0.6)
Other	1.3(±1.2)
<b>Total</b>	<b>0.6(±0.3)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE MS-7. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions). (Note: Total is greater than 100% because students had the option to choose more than one answer.)**

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	25.0(±4.3)
Borrowed (or bummed) them from someone else	32.3(±7.7)
Someone gave them to me without me asking	12.0(±3.89)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	30.4(±5.8)
Bought them from a vending machine	1.3(±1.7)
Internet	1.5(±1.7)
Other Sources:	
Took them from store or family member	11.1(±4.4)
Got them some other way	33.4(±6.7)

† Ninety-five percent confidence interval.





**TABLE MS-8. Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent or guardian about not using any type of tobacco	Never smoked who think young people who smoke cigarettes have more friends	Never smokers who think smoking cigarettes makes young people look cool or fit in
<b>Gender</b>						
Female	98.2(±0.7)	87.6(±1.9)	83.2(±1.9)	51.2(±2.5)	20.5(±3.1)	6.2(±1.7)
Male	98.8(±0.5)	86.6(±1.5)	81.4(±2.2)	49.9(±3.3)	18.4(±3.3)	8.3(±1.6)
<b>Grade</b>						
Sixth	99.2(±0.5)	91.8(±1.4)	88.0(±2.9)	52.7(±3.5)	17.4(±3.3)	6.7(±2.1)
Seventh	98.2(±0.9)	86.7(±2.8)	80.5(±3.2)	49.2(±3.0)	21.0(±2.5)	8.1(±2.1)
Eighth	97.9(±0.7)	81.8(±2.5)	77.3(±2.9)	49.8(±3.5)	20.3(±5.1)	7.0(±2.6)
<b>Race/ethnicity</b>						
White	99.0(±0.4)	87.4(±1.9)	82.9(±2.4)	48.5(±2.7)	14.1(±2.5)	5.8(±1.5)
Black	98.5(±0.7)	88.0(±2.2)	82.0(±2.7)	52.8(±4.4)	27.4(±3.9)	9.6(±2.3)
Hispanic	96.1(±1.7)	82.3(±3.5)	78.5(±3.4)	58.8(±4.9)	25.8(±3.6)	9.1(±3.2)
Other	97.6(±3.1)	88.9(±4.5)	85.3(±3.5)	47.1(±7.0)	19.7(±5.9)	3.5(±2.2)
<b>Total</b>	98.5(±0.4)	87.1(±1.3)	82.3(±1.6)	50.6(±2.1)	19.4(±2.7)	7.3(±1.4)

† Ninety-five percent confidence interval.

**TABLE MS-9. Percentage of middle school students who report media and advertising influence regarding tobacco , by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Saw or heard anti-smoking commercials during the past 30 days</b>	<b>Watch TV or movies who see actors using tobacco (most or some of the time)</b>	<b>Use Internet and see Internet ads for tobacco products (most or some of the time)</b>	<b>Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products</b>
<b>Gender</b>				
Female	70.5(±2.1)	76.2(±2.6)	45.2(±2.9)	82.0(±2.6)
Male	64.9(±2.1)	77.1(±2.2)	37.3(±3.1)	80.6(±2.7)
<b>Grade</b>				
Sixth	67.5(±3.3)	70.5(±3.5)	38.1(±4.0)	75.7(±4.1)
Seventh	67.1(±2.9)	76.6(±2.3)	41.4(±3.0)	82.0(±2.1)
Eighth	68.3(±2.9)	82.8(±2.4)	44.1(±2.7)	86.2(±2.3)
<b>Race/ethnicity</b>				
White	66.7(±2.2)	75.9(±1.7)	41.3(±3.0)	80.7(±1.8)
Black	71.0(±3.5)	79.4(±2.8)	41.5(±4.1)	83.8(±3.0)
Hispanic	65.8(±3.0)	73.5(±4.5)	41.0(±4.1)	77.3(±3.7)
Other	65.1(±7.3)	78.1(±7.0)	42.2(±6.7)	84.6(±5.5)
<b>Total</b>	<b>67.6(±1.6)</b>	<b>76.6(±1.4)</b>	<b>41.2(±2.2)</b>	<b>81.3(±1.6)</b>

† Ninety-five percent confidence interval.

**TABLE MS-10. Percentage of middle school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Were taught about the dangers of tobacco use at school</b>
Gender	
Female	51.9(±6.6)
Male	47.5(±5.4)
Grade	
Sixth	46.0(±7.5)
Seventh	53.7(±5.0)
Eighth	49.2(±9.0)
Race/ethnicity	
White	50.0(±6.1)
Black	48.3(±6.0)
Hispanic	48.7(±7.3)
Other	58.9(±10.7)
<b>Total</b>	<b>49.6(±5.8)</b>

† Ninety-five percent confidence interval.



**TABLE MS-11. Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Home Exposure</b>	<b>Vehicle Exposure</b>
<b>Gender</b>		
Female	23.1(±2.9)	22.8(±3.2)
Male	19.5(±3.1)	19.5(±3.0)
<b>Grade</b>		
Sixth	20.9(±3.4)	19.8(±3.5)
Seventh	22.0(±2.6)	22.1(±3.0)
Eighth	21.0(±3.9)	21.9(±3.8)
<b>Race/ethnicity</b>		
White	24.1(±3.7)	24.3(±3.9)
Black	19.1(±3.7)	18.6(±3.1)
Hispanic	13.6(±3.6)	12.8(±3.3)
Other	20.5(±8.2)	18.5(±6.1)
<b>Total</b>	<b>21.3(±2.6)</b>	<b>21.2(±2.6)</b>

† Ninety-five percent confidence interval.

**TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Who want to stop smoking cigarettes</b>	<b>Tried to quit during at least once in the past 12 months</b>	<b>When they last tried to quit, stayed off cigarettes for less than 30 days</b>
<b>Gender</b>			
Female	33.9(±11.9)	68.5(±12.8)	49.1(±12.6)
Male	55.3(±11.3)	70.7(±11.9)	46.0(±9.2)
<b>Grade</b>			
Sixth	66.1(±14.9)	75.6(±15.2)	29.6(±15.4)
Seventh	43.2(±12.5)	75.1(±10.4)	47.5(±13.8)
Eighth	41.0(±9.3)	66.7(±9.3)	52.0(±11.8)
<b>Race/ethnicity</b>			
White	36.6(±9.2)	60.8(±10.4)	50.3(±10.6)
Black	64.2(±21.4)	90.6(±10.0)	40.0(±18.1)
Hispanic	47.0(±23.3)	69.6(±18.6)	59.3(±19.6)
Other	58.7(±43.4)	77.0(±28.2)	36.8(±25.7)
<b>Total</b>	<b>45.1(±7.8)</b>	<b>69.7(±7.6)</b>	<b>47.5(±7.6)</b>

† Ninety-five percent confidence interval.





**TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

**“Think young people who smoke cigarettes have more friends”**

	<b>Never Smoker</b>	<b>Current Smoker</b>
<b>Gender</b>		
Female	20.5(±3.1)	45.6(±10.4)
Male	18.4(±3.3)	50.6(±11.2)
<b>Grade</b>		
Sixth	17.4(±3.3)	54.8(±28.0)
Seventh	21.0(±2.5)	42.5(±11.3)
Eighth	20.3(±5.1)	49.2(±11.0)
<b>Race/ethnicity</b>		
White	14.1(±2.5)	43.8(±10.1)
Black	27.4(±3.9)	58.5(±15.6)
Hispanic	25.8(±3.6)	59.3(±18.8)
Other	19.7(±5.9)	45.4(±37.4)
<b>Total</b>	<b>19.4(±2.7)</b>	<b>48.4(±7.9)</b>

† Ninety-five percent confidence interval.

**TABLE HS-1. Percentage of high school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/Kreteks
<b>Gender</b>						
Female	44.8(±3.1)	36.7(±3.5)	23.8(±2.6)	8.5(±1.4)	10.0(±1.5)	5.0(±1.1)
Male	54.2(±3.0)	43.0(±3.8)	35.0(±2.9)	23.8(±3.3)	15.6(±2.0)	8.0(±1.4)
<b>Grade</b>						
Ninth	40.0(±4.6)	30.5(±5.1)	19.7(±3.2)	12.1(±2.5)	9.2(±1.8)	4.6(±1.6)
Tenth	49.9(±5.1)	39.7(±5.8)	27.5(±4.0)	16.5(±2.9)	11.3(±2.0)	5.3(±1.4)
Eleventh	50.5(±4.7)	41.3(±4.7)	32.6(±4.0)	18.1(±3.5)	15.1(±2.8)	7.1(±2.1)
Twelfth	61.9(±4.2)	52.1(±4.8)	42.2(±4.1)	19.8(±3.6)	17.5(±3.2)	10.1(±2.2)
<b>Race/ethnicity</b>						
White	49.8(±3.4)	40.7(±4.0)	30.4(±3.1)	20.9(±3.2)	14.9(±1.5)	7.0(±1.5)
Black	49.1(±4.0)	37.3(±5.9)	28.0(±3.6)	9.2(±1.7)	8.0(±2.3)	5.0(±1.6)
Hispanic	49.1(±5.4)	43.5(±5.6)	29.4(±4.5)	10.7(±3.1)	15.1(±3.9)	7.6(±2.7)
Other	44.6(±10.4)	39.1(±10.2)	23.7(±7.5)	16.8(±6.8)	18.2(±6.9)	9.5(±6.0)
<b>Total</b>	<b>49.6(±2.5)</b>	<b>39.9(±3.0)</b>	<b>29.4(±2.3)</b>	<b>16.2(±2.1)</b>	<b>12.9(±1.2)</b>	<b>6.5(±1.1)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?"

† Ninety-five percent confidence interval.

**TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
<b>Gender</b>							
Female	17.1(±2.1)†	12.5(±1.7)	7.7(±1.3)	2.3(±0.8)	3.3(±0.8)	0.8(±0.4)	1.7(±0.4)
Male	27.8(±3.3)	18.4(±2.1)	14.7(±2.5)	10.7(±2.4)	5.5(±1.0)	2.4(±0.8)	4.0(±0.8)
<b>Grade</b>							
Ninth	15.4(±3.6)	9.4(±2.2)	6.5(±2.2)	5.2(±1.8)	3.7(±1.5)	1.4(±0.8)	2.3(±1.4)
Tenth	19.8(±3.8)	14.4(±3.6)	9.0(±2.2)	5.3(±1.3)	3.1(±1.1)	1.2(±0.5)	2.0(±0.8)
Eleventh	26.1(±3.1)	17.7(±3.1)	13.4(±2.3)	7.7(±2.2)	5.4(±1.4)	1.4(±0.8)	2.8(±1.1)
Twelfth	32.0(±4.3)	23.2(±4.1)	18.5(±3.1)	8.8(±3.1)	6.1(±1.5)	2.8(±1.2)	4.7(±1.7)
<b>Race/ethnicity</b>							
White	25.8(±3.0)	18.7(±2.4)	11.3(±1.9)	9.3(±1.8)	4.6(±0.8)	1.5(±0.5)	2.3(±0.8)
Black	16.3(±4.1)	10.1(±3.2)	10.5(±3.2)	2.1(±1.1)	2.3(±1.0)	0.7(±0.6)	2.5(±0.9)
Hispanic	22.3(±4.5)	14.5(±3.0)	12.5(±3.2)	4.7(±2.1)	9.6(±3.3)	4.7(±2.2)	6.5(±2.6)
Other	21.8(±8.0)	14.8(±5.9)	12.0(±5.5)	6.1(±3.6)	6.7(±3.1)	5.3(±3.6)	5.8(±4.0)
<b>Total</b>	<b>22.5(±2.3)</b>	<b>15.5(±1.5)</b>	<b>11.3(±1.6)</b>	<b>6.6(±1.4)</b>	<b>4.4(±0.7)</b>	<b>1.6(±0.5)</b>	<b>2.9(±0.5)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE HS-3. Percentage of high school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	<b>Current Use</b>
Roll-Your-Own Cigarettes	4.3(±0.6)†
Flavored Cigarettes	7.4(±1.2)
Clove Cigars	1.6(±0.4)
Flavored Little Cigars	5.2(±1.2)
Hookah/Waterpipe	3.5(±0.8)
Snus	2.7(±0.6)
Dissolvables (e.g. orbs, strips, sticks)	0.7(±0.3)
Electronic Cigarettes	1.7(±0.4)
Other new product	3.2(±0.6)
Percent of current smokers using at least one of the above products	72.9(±4.5)

\*Current use defined as use on one or more of the past 30 days.)

† Ninety-five percent confidence interval.

**TABLE HS-4. Percentage of high school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
<b>Gender</b>		
Female	14.3(±2.7)	16.2(±3.2)
Male	19.6(±3.2)	23.3(±3.4)
<b>Grade</b>		
Ninth	24.9(±5.8)	8.7(±2.7)
Tenth	16.8(±3.8)	17.5(±3.8)
Eleventh	13.3(±2.3)	23.8(±6.0)
Twelfth	14.3(±3.7)	28.7(±5.4)
<b>Race/ethnicity</b>		
White	16.1(±2.0)	26.3(±3.5)
Black	16.6(±4.9)	10.7(±3.6)
Hispanic	23.8(±6.5)	14.6(±4.9)
Other	25.8(±11.9)	16.9(±8.8)
<b>Total</b>	<b>17.2(±2.3)</b>	<b>20.1(±2.4)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

† Ninety-five percent confidence interval.

**TABLE HS-5. Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Usually smokes menthol cigarettes
<b>Gender</b>	
Female	55.8(±8.2)†
Male	45.3(±5.7)
<b>Grade</b>	
Ninth	44.3(±10.7)
Tenth	51.0(±8.6)
Eleventh	51.9(±8.9)
Twelfth	49.2(±9.7)
<b>Race/ethnicity</b>	
White	54.0(±4.9)
Black	32.6(±12.1)
Hispanic	56.9(±13.0)
Other	51.2(±25.8)
<b>Total</b>	<b>49.5(±5.6)</b>

† Ninety-five percent confidence interval.

**TABLE HS-6. Percentage of high school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Frequent cigarette smoking
<b>Gender</b>	
Female	4.3(±1.0)
Male	6.3(±1.4)
<b>Grade</b>	
Ninth	1.6(±0.8)
Tenth	4.8(±1.4)
Eleventh	5.7(±2.0)
Twelfth	11.1(±2.6)
<b>Race/ethnicity</b>	
White	6.8(±1.3)
Black	3.0(±1.4)
Hispanic	4.9(±1.5)
Other	5.5(±3.9)
<b>Total</b>	<b>5.3(±0.8)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE HS-7. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions). (Note: Total is greater than 100% because students had the option to choose more than one answer.)**

	Current Smoker
<b>Social Sources:</b>	
Gave someone else money to buy them for me	28.6(±3.9)†
Borrowed (or bummed) them from someone else	29.0(±4.5)
Someone else gave them to me without me asking	11.1(±3.3)
<b>Direct Purchase:</b>	
Bought them in a store such as a convenience store, supermarket, drug store, or gas station	49.7(±5.3)
Bought them from a vending machine	0.5(±0.6)
Bought them from Internet	0.3(±0.5)
<b>Other Sources:</b>	
Took them from store or family member	3.4(±1.4)
Got them some other way	13.6(±2.5)
<b>Total</b>	<b>100.0</b>

† Ninety-five percent confidence interval.

**TABLE HS-8. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will definitely not smoke if one of their best friends offers them a cigarette	Have discussed with parent (or guardian) about not using any type of tobacco product	Never smoked who think young people who smoke cigarettes have more friends	Never smoked who think smoking cigarettes makes young people look cool or fit in
<b>Gender</b>						
Female	98.1(±0.9)	82.5(±2.6)	78.5(±2.4)	42.9(±2.3)	19.6(±3.1)	4.4(±1.1)
Male	98.1(±1.0)	80.6(±2.9)	79.4(±3.4)	47.6(±3.4)	20.0(±3.4)	8.3(±2.2)
<b>Grade</b>						
Ninth	97.4(±1.5)	78.5(±2.9)	77.0(±2.6)	48.2(±4.2)	18.7(±3.5)	6.6(±1.8)
Tenth	98.6(±0.8)	81.9(±2.6)	77.5(±4.3)	47.7(±3.5)	22.0(±4.4)	6.7(±2.3)
Eleventh	97.7(±1.8)	84.6(±2.6)	80.9(±2.7)	45.3.(±2.9)	18.8(±3.8)	6.5(±2.4)
Twelfth	99.0(±0.9)	83.2(±5.7)	82.4(±4.7)	37.8(±4.2)	20.1(±3.7)	4.6(±3.0)
<b>Race/ethnicity</b>						
White	98.2(±0.9)	80.6(±2.4)	77.6(±2.8)	45.0(±2.4)	14.0(±2.2)	4.5(±1.3)
Black	98.0(±1.3)	83.6(±3.4)	82.0(±3.5)	45.4(±3.9)	27.0(±3.9)	9.0(±2.5)
Hispanic	96.1(±2.7)	77.1(±5.0)	75.2(±4.6)	47.4(±4.4)	28.9(±6.9)	8.0(±4.5)
Other	100.0(±0)	88.0(±8.5)	79.3(±7.9)	43.2(±6.9)	23.9(±12.0)	2.2(±3.0)
<b>Total</b>	<b>98.1(±0.7)</b>	<b>81.6(±2.0)</b>	<b>78.9(±2.1)</b>	<b>45.3(±2.4)</b>	<b>19.8(±2.6)</b>	<b>6.3(±1.4)</b>

\* Students were considered not susceptible if they answered, “No, will not try a cigarette soon” and “Definitely no, will not smoke in the next year” and “Definitely no, would not smoke if best friend offered.” All other students were considered susceptible.

† Ninety-five percent confidence interval.

**TABLE HS-9. Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising\*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
<b>Gender</b>				
Female	70.2(±2.3)	86.8(±1.4)	42.6(±3.1)	89.9(±1.5)
Male	68.9(±3.2)	83.2(±2.0)	36.7(±2.2)	86.0(±1.9)
<b>Grade</b>				
Ninth	68.4(±3.5)	84.3(±2.6)	42.7(±3.0)	87.2(±2.6)
Tenth	71.0(±4.1)	85.4(±2.4)	41.8(±3.6)	89.7(±1.7)
Eleventh	70.7(±2.7)	85.5(±2.9)	36.6(±3.5)	87.6(±2.6)
Twelfth	68.1(±3.5)	85.1(±2.5)	35.9(±4.2)	87.2(±2.6)
<b>Race/ethnicity</b>				
White	70.5(±2.5)	84.9(±1.5)	38.5(±2.4)	87.8(±1.4)
Black	69.6(±3.7)	86.4(±2.9)	39.7(±2.9)	89.1(±2.1)
Hispanic	64.5(±4.9)	83.6(±3.8)	47.7(±4.2)	87.7(±3.2)
Other	66.3(±7.2)	80.3(±5.4)	40.9(±7.5)	87.3(±5.3)
<b>Total</b>	<b>69.6(±2.1)</b>	<b>85.0(±1.2)</b>	<b>39.6(±1.6)</b>	<b>87.9(±1.2)</b>

\* The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.

† Ninety-five percent confidence interval.



**TABLE HS-10. Percentage of high school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Were taught about the dangers of tobacco use at school
<b>Gender</b>	
Female	32.8(±3.7)
Male	32.3(±2.9)
<b>Grade</b>	
Ninth	44.6(±4.6)
Tenth	35.2(±3.8)
Eleventh	26.3(±3.5)
Twelfth	19.2(±3.0)
<b>Race/ethnicity</b>	
White	30.1(±3.4)
Black	34.7(±4.5)
Hispanic	39.4(±5.5)
Other	33.9(±8.2)
<b>Total</b>	<b>32.5(±2.9)</b>

† Ninety-five percent confidence interval.

**TABLE HS-11. Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Home Exposure	Vehicle Exposure
<b>Gender</b>		
Female	17.7(±3.3)	21.7 (±3.7)
Male	16.1(±3.1)	18.3 (±2.9)
<b>Grade</b>		
Ninth	18.3 (±3.9)	19.8 (±3.1)
Tenth	20.1 (±3.6)	22.5 (±4.3)
Eleventh	14.6 (±4.8)	19.0 (±4.0)
Twelfth	12.6 (±4.7)	18.2 (±6.1)
<b>Race/ethnicity</b>		
White	17.6(±3.3)	20.6(±3.2)
Black	17.3(±4.4)	21.4(±4.8)
Hispanic	11.3(±4.0)	15.7(±4.5)
Other	14.2(±6.6)	8.5(±6.0)
<b>Total</b>	<b>16.9(±2.7)</b>	<b>20.1(±2.7)</b>

† Ninety-five percent confidence interval.

**TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

	Who want to stop smoking cigarettes	Tried to quit at least once in the past 12 months	When they last tried to quit, stayed off cigarettes for less than 30 days
<b>Gender</b>			
Female	48.7(±7.1)	61.1(±6.1)	39.5(±5.7)
Male	40.4(±6.6)	62.9(±6.4)	39.1(±6.7)
<b>Grade</b>			
Ninth	36.8(±13.2)	70.5(±11.0)	35.3(±11.0)
Tenth	50.3(±7.4)	61.6(±6.2)	41.1(±5.9)
Eleventh	40.8(±9.8)	60.2(±10.7)	40.9(±10.4)
Twelfth	44.6(±8.5)	58.7(±9.3)	38.7(±7.8)
<b>Race/ethnicity</b>			
White	44.2(±5.8)	60.1(±5.3)	39.1(±5.8)
Black	48.8(±11.9)	65.6(±12.1)	43.7(±11.6)
Hispanic	25.2(±11.8)	68.3(±10.9)	25.5(±10.7)
Other	34.4(±24.2)	61.7(±20.9)	44.5(±19.1)
<b>Total</b>	43.6(±4.9)	62.0(±4.9)	39.2(±4.5)

† Ninety-five percent confidence interval.



**TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).**

**“Think young people who smoke cigarettes have more friends.”**

	Never Smoker	Current Smoker
Gender		
Female	19.6(±3.1)	31.6(±6.4)
Male	20.0(±3.4)	41.7(±5.7)
Grade		
Ninth	18.7(±3.5)	42.7(±12.1)
Tenth	22.0(±4.4)	37.2(±9.8)
Eleventh	18.8(±3.8)	36.6(±7.0)
Twelfth	20.1(±3.7)	36.2(±10.0)
Race/ethnicity		
White	14.0(±2.2)	34.1(±4.3)
Black	27.0(±3.9)	48.8(±14.5)
Hispanic	28.9(±6.9)	33.3(±13.9)
Other	23.9(±12.0)	46.1(±18.8)
<b>Total</b>	<b>19.8(±2.6)</b>	<b>37.8(±4.7)</b>

† Ninety-five percent confidence interval.