





## Detailed Summary Tables— Statewide

North Carolina Youth Tobacco Survey 2011 Middle School and High School Tables

N.C. Department of Health and Human Services

Surveillance and Evaluation Team
Tobacco Prevention and Control Branch
Department of Health and Human Services
1932 Mail Service Center
Raleigh, NC 27699-1932
919-707-5400
www.tobaccopreventionandcontrol.ncdhhs.gov

	List of Middle School Tables
Table	Percentage of middle school students who report ever using* any tobacco
MS-1	product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report current use of any tobacco
MS-2	product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report current use* of emerging
MS-3	tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report first using* cigarettes before
MS-4	11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who are current smokers who report
MS-5	usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report frequently using* cigarettes,
MS-6	by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011— Statewide (All Regions).
Table	Percentage of middle school current smoking students who report their primary
MS-7	sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report smoking intentions,
MS-8	perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report media and advertising
MS-9	influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school students who report exposure to anti-tobacco
MS-10	education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school never smoking students who report they were in
MS-11	their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school current smoking students who report quitting
MS-12	perceptions, intention to quit and cessation practices, by gender, grade, and
WIO 12	race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of middle school never and current smoking students who report
MS-13	smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

HS-13

	List of High School Tables
Table	Percentage of high school students who report ever using* any tobacco product
HS-1	(cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade,
	and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who report current use of any tobacco
HS-2	product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender,
	grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—
Table	Statewide (All Regions).  Percentage of high school students who report current use* of emerging
	tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All
HS-3	Regions).
Table	Percentage of high school students who report first using* cigarettes before 11
HS-4	years of age and ever smoking 100 cigarettes in their lifetime, by gender,
	grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who are current smokers who report usually
HS-5	smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina
	Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who report frequently using* cigarettes, by
HS-6	gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011— Statewide (All Regions).
Table	Percentage of high school current smoking students who report their primary
HS-7	sources of cigarettes, by social source, direct purchase, and other sources:
	North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth
HS-8	Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who report media and advertising influence
HS-9	regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth
	Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school students who report exposure to anti-tobacco
HS-10	education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).
Table	Percentage of high school never smoking students who report they were in their
HS-11	home or a car with someone who was smoking on 1 of the past 7 days, by
	gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—
Table	Statewide (All Regions).  Percentage of high school current smoking students who report quitting
	perceptions, intention to quit and cessation practices, by gender, grade, and
HS-12	race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All
	Regions).
Table	Percentage of high school never and current smoking students who report

smoking perceptions, by gender, grade, and race/ethnicity: North Carolina

Youth Tobacco Survey, 2011—Statewide (All Regions).

TABLE MS-1. Percentage of middle school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/ Kreteks
Gender						
Female	22.9(±2.7)†	$15.8(\pm 2.0)$	$8.6(\pm 1.7)$	$5.6(\pm 1.4)$	$5.0(\pm 1.1)$	$2.7(\pm 0.8)$
Male	27.1(±3.0)	17.9(±2.7)	$12.6(\pm 1.8)$	$10.6(\pm 2.4)$	$6.1(\pm 1.1)$	$3.8(\pm 1.2)$
Grade						
Sixth	$14.5(\pm 2.5)$	$8.2(\pm 1.8)$	$6.1(\pm 1.7)$	$4.8(\pm 1.5)$	$2.7(\pm 1.0)$	$1.7(\pm 0.7)$
Seventh	26.1(±3.0)	17.2(±2.6)	$10.0(\pm 1.6)$	$8.9(\pm 2.1)$	$6.6(\pm 1.2)$	$3.8(\pm 1.3)$
Eighth	$34.7(\pm 4.3)$	25.3(±3.9)	16.0(±2.5)	10.9(±2.6)	$7.6(\pm 1.8)$	$4.3(\pm 1.5)$
Race/ethnicity						
White	$23.6(\pm 3.1)$	$15.9(\pm 2.4)$	$9.4(\pm 1.5)$	$10.2(\pm 2.4)$	$6.0(\pm 0.8)$	$2.9(\pm 0.8)$
Black	$26.4(\pm 2.1)$	$17.8(\pm 2.1)$	11.2(±1.9)	$5.0(\pm 1.1)$	$4.5(\pm 1.5)$	$3.3(\pm 1.3)$
Hispanic	26.8(±3.6)	18.6(±2.6)	$13.7(\pm 2.0)$	6.1(±2.1)	$7.5(\pm 1.5)$	$4.8(\pm 2.0)$
Other	30.5(±9.6)	20.6(±11.7)	$15.9(\pm 7.4)$	11.6(±4.1)	5.3(±2.2)	$3.7(\pm 2.5)$
Total	25.0(±2.5)	16.9(±1.9)	10.7(±1.4)	8.2(±1.7)	$5.6(\pm 0.8)$	$3.3(\pm 0.7)$

<sup>\*</sup>Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? "† Ninety-five percent confidence interval.

TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
Gender							
Female	$6.0(\pm 1.4)$	$3.9(\pm 1.1)$	$2.5(\pm 0.9)$	$1.7(\pm 0.6)$	$2.0(\pm 0.7)$	$1.1(\pm 0.6)$	$1.3(\pm 0.6)$
Male	$8.6(\pm 1.8)$	4.4(±1.1)	$3.4(\pm 0.9)$	$3.7(\pm 1.1)$	$2.6(\pm 0.7)$	$0.8(\pm 0.4)$	1.3(±0.5)
Grade							
Sixth	$2.9(\pm 1.2)$	$1.6(\pm 0.9)$	$1.2(\pm 0.5)$	$1.1(\pm 0.5)$	$1.1(\pm 0.6)$	$0.5(\pm 0.4)$	$0.5(\pm 0.4)$
Seventh	$7.0(\pm 1.5)$	$3.5(\pm 1.0)$	$2.5(\pm 1.0)$	$3.0(\pm 0.9)$	$2.4(\pm 0.8)$	$0.9(\pm 0.4)$	1.6(±0.6)
Eighth	12.2(±2.8)	$7.5(\pm 2.3)$	$5.4(\pm 1.3)$	4.1(±1.3)	$3.5(\pm 1.0)$	1.5(±0.7)	1.9(±0.8)
Race/ethnicity							
White	$8.0(\pm 1.5)$	$4.7(\pm 1.0)$	$2.7(\pm 0.9)$	$3.6(\pm 0.9)$	$2.3(\pm 0.7)$	$1.1(\pm 0.4)$	$1.2(\pm 0.5)$
Black	$5.5(\pm 1.8)$	$3.2(\pm 1.1)$	$3.1(\pm 1.3)$	$1.0(\pm 0.7)$	1.3(±0.8)	$0.4(\pm 0.3)$	$0.6(\pm 0.5)$
Hispanic	$8.2(\pm 2.3)$	$3.9(\pm 1.5)$	$4.5(\pm 1.2)$	2.5(±1.2)	$4.1(\pm 1.8)$	1.9(±1.0)	$3.2(\pm 1.6)$
Other	9.6(±5.3)	5.5(±4.5)	$4.0(\pm 2.6)$	3.6(±2.1)	$3.2(\pm 2.2)$	1.7(±1.6)	2.6(±1.9)
Total	7.4(±1.4)	4.2(±0.9)	$3.0(\pm 0.8)$	2.7(±0.7)	2.3(±0.6)	1.0(±0.3)	1.3(±0.4)

<sup>\*</sup>Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-3. Percentage of middle school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Current Use
Roll-Your-Own Cigarettes	2.7(±0.6)†
Flavored Cigarettes	1.7(±0.5)
Clove Cigars	$0.4(\pm 0.2)$
Flavored Little Cigars	$1.2(\pm 0.4)$
Hookah/Waterpipe	$0.9(\pm 0.3)$
Snus	$1.0(\pm 0.3)$
Dissolvables (e.g. orbs, strips, sticks)	$0.4(\pm 0.2)$
Electronic Cigarettes	$1.0(\pm 0.3)$
Other new product	$1.8(\pm 0.4)$
Percent of current smokers using at least	$72.8(\pm 7.3)$
one of the above products	

<sup>\*</sup>Current use defined as use on one or more of the past 30 days.)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-4. Percentage of middle school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	$36.9(\pm 6.1)$	$3.8(\pm 2.1)$
Male	42.3(±5.4)	$6.8(\pm 2.9)$
Grade		
Sixth	$63.6(\pm 10.7)$	$3.6(\pm 4.0)$
Seventh	$43.6(\pm 8.2)$	$4.7(\pm 2.7)$
Eighth	29.3(±4.1)	$6.2(\pm 2.9)$
Race/ethnicity		
White	42.1(±5.8)	$6.0(\pm 2.5)$
Black	$31.8(\pm 8.4)$	$3.1(\pm 3.3)$
Hispanic	$48.6(\pm 9.0)$	$6.3(\pm 3.3)$
Other	51.5(±19.9)	13.5(±7.2)
Total	39.8(±4.4)	5.4(±1.9)

<sup>\*</sup>Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE MS-5. Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Usually smokes menthol cigarettes
Gender	
Female	$42.1(\pm 11.6)\dagger$
Male	$34.6(\pm 10.0)$
Grade	
Sixth	$15.5(\pm 15.6)$
Seventh	$35.1(\pm 13.6)$
Eighth	$44.9(\pm 7.4)$
Race/ethnicity	
White	$46.3(\pm 7.8)$
Black	15.2(±11.7)
Hispanic	35.1(±18.8)
Other	47.8(±19.1)
Total	$38.2(\pm 6.4)$

<sup>†</sup> Ninety-five percent confidence interval.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-6. Percentage of middle school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Frequent cigarette smoking
Gender	
Female	$0.5(\pm 0.3)$
Male	$0.8(\pm 0.5)$
Grade	
Sixth	$0.1(\pm 0.0)$
Seventh	$0.7(\pm 0.4)$
Eighth	1.1(±0.8)
Race/ethnicity	
White	$0.8(\pm 0.4)$
Black	$0.1(\pm 0.2)$
Hispanic	$0.6(\pm 0.6)$
Other	1.3(±1.2)
Total	$0.6(\pm 0.3)$

<sup>\*</sup> Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE MS-7. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions). (Note: Total is greater than 100% because students had the option to choose more than one answer.)

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	$25.0(\pm 4.3)$
Borrowed (or bummed) them from someone else	$32.3(\pm 7.7)$
Someone gave them to me without me asking	$12.0(\pm 3.89)$
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	$30.4(\pm 5.8)$
Bought them from a vending machine	$1.3(\pm 1.7)$
Internet	1.5(±1.7)
Other Courses	
Other Sources:	11 1( , 4 4)
Took them from store or family member	$11.1(\pm 4.4)$
Got them some other way	$33.4(\pm 6.7)$

<sup>†</sup> Ninety-five percent confidence interval.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-8. Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking cigarettes during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent or guardian about not using any type of tobacco	Never smoked who think young people who smoke cigarettes have more friends	Never smokers who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	$98.2(\pm 0.7)$	87.6(±1.9)	$83.2(\pm 1.9)$	51.2(±2.5)	$20.5(\pm 3.1)$	$6.2(\pm 1.7)$
Male	98.8(±0.5)	86.6(±1.5)	81.4(±2.2)	$49.9(\pm 3.3)$	$18.4(\pm 3.3)$	$8.3(\pm 1.6)$
Grade						
Sixth	$99.2(\pm 0.5)$	91.8(±1.4)	$88.0(\pm 2.9)$	52.7(±3.5)	$17.4(\pm 3.3)$	$6.7(\pm 2.1)$
Seventh	98.2(±0.9)	86.7(±2.8)	80.5(±3.2)	49.2(±3.0)	21.0(±2.5)	8.1(±2.1)
Eighth	97.9(±0.7)	81.8(±2.5)	$77.3(\pm 2.9)$	$49.8(\pm 3.5)$	20.3(±5.1)	$7.0(\pm 2.6)$
Race/ethnicity						
White	$99.0(\pm 0.4)$	$87.4(\pm 1.9)$	$82.9(\pm 2.4)$	$48.5(\pm 2.7)$	14.1(±2.5)	$5.8(\pm 1.5)$
Black	98.5(±0.7)	88.0(±2.2)	82.0(±2.7)	$52.8(\pm 4.4)$	27.4(±3.9)	9.6(±2.3)
Hispanic	96.1(±1.7)	82.3(±3.5)	78.5(±3.4)	58.8(±4.9)	25.8(±3.6)	9.1(±3.2)
Other	97.6(±3.1)	88.9(±4.5)	85.3(±3.5)	47.1(±7.0)	19.7(±5.9)	$3.5(\pm 2.2)$
Total	98.5(±0.4)	87.1(±1.3)	82.3(±1.6)	50.6(±2.1)	19.4(±2.7)	7.3(±1.4)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-9. Percentage of middle school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
Gender				
Female	$70.5(\pm 2.1)$	$76.2(\pm 2.6)$	$45.2(\pm 2.9)$	$82.0(\pm 2.6)$
Male	64.9(±2.1)	77.1(±2.2)	$37.3(\pm 3.1)$	80.6(±2.7)
Grade				
Sixth	$67.5(\pm 3.3)$	$70.5(\pm 3.5)$	$38.1(\pm 4.0)$	$75.7(\pm 4.1)$
Seventh	67.1(±2.9)	76.6(±2.3)	$41.4(\pm 3.0)$	82.0(±2.1)
Eighth	$68.3(\pm 2.9)$	$82.8(\pm 2.4)$	44.1(±2.7)	86.2(±2.3)
Race/ethnicity				
White	$66.7(\pm 2.2)$	$75.9(\pm 1.7)$	$41.3(\pm 3.0)$	$80.7(\pm 1.8)$
Black	71.0(±3.5)	79.4(±2.8)	41.5(±4.1)	83.8(±3.0)
Hispanic	$65.8(\pm 3.0)$	$73.5(\pm 4.5)$	$41.0(\pm 4.1)$	77.3(±3.7)
Other	65.1(±7.3)	78.1(±7.0)	42.2(±6.7)	84.6(±5.5)
Total	67.6(±1.6)	76.6(±1.4)	41.2(±2.2)	81.3(±1.6)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-10. Percentage of middle school students who report exposure to antitobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Were taught about the dangers of tobacco use at school
Gender	
Female	$51.9(\pm 6.6)$
Male	47.5(±5.4)
Grade	
Sixth	$46.0(\pm 7.5)$
Seventh	$53.7(\pm 5.0)$
Eighth	49.2(±9.0)
Race/ethnicity	
White	$50.0(\pm 6.1)$
Black	$48.3(\pm 6.0)$
Hispanic	$48.7(\pm 7.3)$
Other	$58.9(\pm 10.7)$
Total	49.6(±5.8)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-11. Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Home Exposure	Vehicle Exposure
	•	•
Gender		
Female	$23.1(\pm 2.9)$	$22.8(\pm 3.2)$
Male	$19.5(\pm 3.1)$	$19.5(\pm 3.0)$
Grade		
Sixth	$20.9(\pm 3.4)$	$19.8(\pm 3.5)$
Seventh	$22.0(\pm 2.6)$	$22.1(\pm 3.0)$
Eighth	$21.0(\pm 3.9)$	21.9(±3.8)
Race/ethnicity		
White	$24.1(\pm 3.7)$	$24.3(\pm 3.9)$
Black	$19.1(\pm 3.7)$	$18.6(\pm 3.1)$
Hispanic	$13.6(\pm 3.6)$	$12.8(\pm 3.3)$
Other	$20.5(\pm 8.2)$	$18.5(\pm 6.1)$
Total	21.3(±2.6)	21.2(±2.6)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

			When they last tried to
	Who want to stop smoking	Tried to quit during at least once in the	quit, stayed off cigarettes for less than
	cigarettes	past 12 months	30 days
Gender			
Female	$33.9(\pm 11.9)$	$68.5(\pm 12.8)$	49.1(±12.6)
Male	55.3(±11.3)	70.7(±11.9)	$46.0(\pm 9.2)$
Grade			
Sixth	$66.1(\pm 14.9)$	$75.6(\pm 15.2)$	29.6(±15.4)
Seventh	$43.2(\pm 12.5)$	$75.1(\pm 10.4)$	$47.5(\pm 13.8)$
Eighth	$41.0(\pm 9.3)$	$66.7(\pm 9.3)$	52.0(±11.8)
Race/ethnicity			
White	$36.6(\pm 9.2)$	$60.8(\pm 10.4)$	$50.3(\pm 10.6)$
Black	$64.2(\pm 21.4)$	$90.6(\pm 10.0)$	$40.0(\pm 18.1)$
Hispanic	$47.0(\pm 23.3)$	$69.6(\pm 18.6)$	$59.3(\pm 19.6)$
Other	58.7(±43.4)	77.0(±28.2)	$36.8(\pm 25.7)$
Total	45.1(±7.8)	69.7(±7.6)	47.5(±7.6)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

"Think young people who smoke cigarettes have more friends"

	Never Smoker	Current Smoker
Gender		
Female	20.5(±3.1)	$45.6(\pm 10.4)$
Male	$18.4(\pm 3.3)$	50.6(±11.2)
Grade		
Sixth	$17.4(\pm 3.3)$	$54.8(\pm 28.0)$
Seventh	21.0(±2.5)	42.5(±11.3)
Eighth	20.3(±5.1)	49.2(±11.0)
Race/ethnicity		
White	14.1(±2.5)	$43.8(\pm 10.1)$
Black	$27.4(\pm 3.9)$	58.5(±15.6)
Hispanic	25.8(±3.6)	59.3(±18.8)
Other	19.7(±5.9)	$45.4(\pm 37.4)$
Total	19.4(±2.7)	48.4(±7.9)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-1. Percentage of high school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/Kreteks
Gender						
Female	$44.8(\pm 3.1)$	$36.7(\pm 3.5)$	$23.8(\pm 2.6)$	$8.5(\pm 1.4)$	$10.0(\pm 1.5)$	$5.0(\pm 1.1)$
Male	$54.2(\pm 3.0)$	$43.0(\pm 3.8)$	$35.0(\pm 2.9)$	$23.8(\pm 3.3)$	$15.6(\pm 2.0)$	$8.0(\pm 1.4)$
Grade						
Ninth	$40.0(\pm 4.6)$	$30.5(\pm 5.1)$	$19.7(\pm 3.2)$	12.1(±2.5)	$9.2(\pm 1.8)$	$4.6(\pm 1.6)$
Tenth	49.9(±5.1)	$39.7(\pm 5.8)$	$27.5(\pm 4.0)$	16.5(±2.9)	$11.3(\pm 2.0)$	$5.3(\pm 1.4)$
Eleventh	$50.5(\pm 4.7)$	$41.3(\pm 4.7)$	$32.6(\pm 4.0)$	18.1(±3.5)	15.1(±2.8)	7.1(±2.1)
Twelfth	61.9(±4.2)	52.1(±4.8)	42.2(±4.1)	19.8(±3.6)	$17.5(\pm 3.2)$	10.1(±2.2)
Race/ethnicity						
White	$49.8(\pm 3.4)$	$40.7(\pm 4.0)$	$30.4(\pm 3.1)$	$20.9(\pm 3.2)$	$14.9(\pm 1.5)$	$7.0(\pm 1.5)$
Black	$49.1(\pm 4.0)$	$37.3(\pm 5.9)$	$28.0(\pm 3.6)$	9.2(±1.7)	$8.0(\pm 2.3)$	5.0(±1.6)
Hispanic	$49.1(\pm 5.4)$	43.5(±5.6)	$29.4(\pm 4.5)$	$10.7(\pm 3.1)$	$15.1(\pm 3.9)$	$7.6(\pm 2.7)$
Other	44.6(±10.4)	39.1(±10.2)	$23.7(\pm 7.5)$	16.8(±6.8)	18.2(±6.9)	$9.5(\pm 6.0)$
Total	49.6(±2.5)	39.9(±3.0)	29.4(±2.3)	16.2(±2.1)	12.9(±1.2)	6.5(±1.1)

<sup>\*</sup>Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?"

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

-	Any tobacco*		Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
Gender							
Female	17.1(±2.1)†	12.5(±1.7)	$7.7(\pm 1.3)$	$2.3(\pm 0.8)$	$3.3(\pm 0.8)$	$0.8(\pm 0.4)$	$1.7(\pm 0.4)$
Male	$27.8(\pm 3.3)$	18.4(±2.1)	$14.7(\pm 2.5)$	$10.7(\pm 2.4)$	$5.5(\pm 1.0)$	$2.4(\pm 0.8)$	$4.0(\pm 0.8)$
Grade							
Ninth	$15.4(\pm 3.6)$	$9.4(\pm 2.2)$	$6.5(\pm 2.2)$	$5.2(\pm 1.8)$	$3.7(\pm 1.5)$	$1.4(\pm 0.8)$	$2.3(\pm 1.4)$
Tenth	19.8(±3.8)	14.4(±3.6)	$9.0(\pm 2.2)$	$5.3(\pm 1.3)$	3.1(±1.1)	1.2(±0.5)	$2.0(\pm 0.8)$
Eleventh	26.1(±3.1)	17.7(±3.1)	$13.4(\pm 2.3)$	$7.7(\pm 2.2)$	$5.4(\pm 1.4)$	$1.4(\pm 0.8)$	$2.8(\pm 1.1)$
Twelfth	$32.0(\pm 4.3)$	23.2(±4.1)	$18.5(\pm 3.1)$	$8.8(\pm 3.1)$	6.1(±1.5)	$2.8(\pm 1.2)$	$4.7(\pm 1.7)$
Race/ethnicity							
White	$25.8(\pm 3.0)$	$18.7(\pm 2.4)$	$11.3(\pm 1.9)$	$9.3(\pm 1.8)$	$4.6(\pm 0.8)$	$1.5(\pm 0.5)$	$2.3(\pm 0.8)$
Black	$16.3(\pm 4.1)$	10.1(±3.2)	$10.5(\pm 3.2)$	2.1(±1.1)	$2.3(\pm 1.0)$	$0.7(\pm 0.6)$	$2.5(\pm 0.9)$
Hispanic	$22.3(\pm 4.5)$	$14.5(\pm 3.0)$	$12.5(\pm 3.2)$	4.7(±2.1)	$9.6(\pm 3.3)$	$4.7(\pm 2.2)$	6.5(±2.6)
Other	21.8(±8.0)	14.8(±5.9)	12.0(±5.5)	6.1(±3.6)	6.7(±3.1)	$5.3(\pm 3.6)$	$5.8(\pm 4.0)$
Total	22.5(±2.3)	15.5(±1.5)	11.3(±1.6)	$6.6(\pm 1.4)$	4.4(±0.7)	1.6(±0.5)	2.9(±0.5)

<sup>\*</sup>Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-3. Percentage of high school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Current Use
Roll-Your-Own Cigarettes	4.3(±0.6)†
Flavored Cigarettes	$7.4(\pm 1.2)$
Clove Cigars	$1.6(\pm 0.4)$
Flavored Little Cigars	5.2(±1.2)
Hookah/Waterpipe	$3.5(\pm 0.8)$
Snus	2.7(±0.6)
Dissolvables (e.g. orbs, strips, sticks)	$0.7(\pm 0.3)$
Electronic Cigarettes	$1.7(\pm 0.4)$
Other new product	$3.2(\pm 0.6)$
Percent of current smokers using at least	72.9(±4.5)
one of the above products	

<sup>\*</sup>Current use defined as use on one or more of the past 30 days.)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-4. Percentage of high school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	$14.3(\pm 2.7)$	$16.2(\pm 3.2)$
Male	$19.6(\pm 3.2)$	$23.3(\pm 3.4)$
Grade		
Ninth	$24.9(\pm 5.8)$	$8.7(\pm 2.7)$
Tenth	16.8(±3.8)	$17.5(\pm 3.8)$
Eleventh	$13.3(\pm 2.3)$	$23.8(\pm 6.0)$
Twelfth	$14.3(\pm 3.7)$	28.7(±5.4)
Race/ethnicity		
White	$16.1(\pm 2.0)$	$26.3(\pm 3.5)$
Black	$16.6(\pm 4.9)$	$10.7(\pm 3.6)$
Hispanic	23.8(±6.5)	$14.6(\pm 4.9)$
Other	25.8(±11.9)	16.9(±8.8)
Total	17.2(±2.3)	20.1(±2.4)

<sup>\*</sup>Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE HS-5. Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Usually smokes menthol cigarettes
Gender	
Female	55.8(±8.2)†
Male	45.3(±5.7)
Grade	
Ninth	44.3(±10.7)
Tenth	51.0(±8.6)
Eleventh	51.9(±8.9)
Twelfth	49.2(±9.7)
Race/ethnicity	
White	$54.0(\pm 4.9)$
Black	32.6(±12.1)
Hispanic	$56.9(\pm 13.0)$
Other	51.2(±25.8)
Total	49.5(±5.6)

<sup>†</sup> Ninety-five percent confidence interval.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-6. Percentage of high school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Frequent cigarette smoking
Gender	
Female	$4.3(\pm 1.0)$
Male	$6.3(\pm 1.4)$
Grade	
Ninth	1.6(±0.8)
Tenth	$4.8(\pm 1.4)$
Eleventh	5.7(±2.0)
Twelfth	11.1(±2.6)
Race/ethnicity	
White	$6.8(\pm 1.3)$
Black	$3.0(\pm 1.4)$
Hispanic	$4.9(\pm 1.5)$
Other	$5.5(\pm 3.9)$
Total	5.3(±0.8)

<sup>\*</sup> Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE HS-7. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions). (Note: Total is greater than 100% because students had the option to choose more than one answer.)

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	28.6(±3.9)†
Borrowed (or bummed) them from someone else	$29.0(\pm 4.5)$
Someone else gave them to me without me asking	11.1(±3.3)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, drug store, or gas station	49.7(±5.3)
Bought them from a vending machine	$0.5(\pm 0.6)$
Bought them from Internet	$0.3(\pm 0.5)$
Other Sources:	
Took them from store or family member	$3.4(\pm 1.4)$
Got them some other way	13.6(±2.5)
Total	100.0

<sup>†</sup> Ninety-five percent confidence interval.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-8. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will definitely not smoke if one of their best friends offers them a cigarette	Have discussed with parent (or guardian) about not using any type of tobacco product	Never smoked who think young people who smoke cigarettes have more friends	Never smoked who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	98.1(±0.9)	$82.5(\pm 2.6)$	$78.5(\pm 2.4)$	$42.9(\pm 2.3)$	19.6(±3.1)	$4.4(\pm 1.1)$
Male	98.1(±1.0)	$80.6(\pm 2.9)$	$79.4(\pm 3.4)$	$47.6(\pm 3.4)$	$20.0(\pm 3.4)$	$8.3(\pm 2.2)$
Grade						
Ninth	$97.4(\pm 1.5)$	$78.5(\pm 2.9)$	$77.0(\pm 2.6)$	$48.2(\pm 4.2)$	18.7(±3.5)	$6.6(\pm 1.8)$
Tenth	98.6(±0.8)	81.9(±2.6)	77.5(±4.3)	$47.7(\pm 3.5)$	$22.0(\pm 4.4)$	6.7(±2.3)
Eleventh	97.7(±1.8)	84.6(±2.6)	80.9(±2.7)	45.3.(±2.9)	18.8(±3.8)	$6.5(\pm 2.4)$
Twelfth	99.0(±0.9)	83.2(±5.7)	$82.4(\pm 4.7)$	$37.8(\pm 4.2)$	20.1(±3.7)	$4.6(\pm 3.0)$
Race/ethnicity						
White	$98.2(\pm 0.9)$	$80.6(\pm 2.4)$	$77.6(\pm 2.8)$	$45.0(\pm 2.4)$	$14.0(\pm 2.2)$	$4.5(\pm 1.3)$
Black	$98.0(\pm 1.3)$	$83.6(\pm 3.4)$	82.0(±3.5)	45.4(±3.9)	27.0(±3.9)	$9.0(\pm 2.5)$
Hispanic	96.1(±2.7)	77.1(±5.0)	$75.2(\pm 4.6)$	$47.4(\pm 4.4)$	28.9(±6.9)	$8.0(\pm 4.5)$
Other	100.0(±0)	88.0(±8.5)	79.3(±7.9)	43.2(±6.9)	23.9(±12.0)	2.2(±3.0)
Total	98.1(±0.7)	81.6(±2.0)	78.9(±2.1)	45.3(±2.4)	19.8(±2.6)	6.3(±1.4)

<sup>\*</sup> Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-9. Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising\*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Saw or heard anti- smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
Gender				
Female	$70.2(\pm 2.3)$	$86.8(\pm 1.4)$	$42.6(\pm 3.1)$	$89.9(\pm 1.5)$
Male	$68.9(\pm 3.2)$	83.2(±2.0)	36.7(±2.2)	$86.0(\pm 1.9)$
Grade				
Ninth	$68.4(\pm 3.5)$	$84.3(\pm 2.6)$	$42.7(\pm 3.0)$	$87.2(\pm 2.6)$
Tenth	$71.0(\pm 4.1)$	$85.4(\pm 2.4)$	$41.8(\pm 3.6)$	$89.7(\pm 1.7)$
Eleventh	$70.7(\pm 2.7)$	85.5(±2.9)	$36.6(\pm 3.5)$	87.6(±2.6)
Twelfth	68.1(±3.5)	85.1(±2.5)	35.9(±4.2)	87.2(±2.6)
Race/ethnicity				
White	$70.5(\pm 2.5)$	$84.9(\pm 1.5)$	$38.5(\pm 2.4)$	$87.8(\pm 1.4)$
Black	$69.6(\pm 3.7)$	$86.4(\pm 2.9)$	$39.7(\pm 2.9)$	89.1(±2.1)
Hispanic	$64.5(\pm 4.9)$	$83.6(\pm 3.8)$	$47.7(\pm 4.2)$	87.7(±3.2)
Other	66.3(±7.2)	80.3(±5.4)	40.9(±7.5)	87.3(±5.3)
Total	69.6(±2.1)	85.0(±1.2)	39.6(±1.6)	87.9(±1.2)

<sup>\*</sup> The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.
† Ninety-five percent confidence interval.

TABLE HS-10. Percentage of high school students who report exposure to antitobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Were taught about the dangers of tobacco use at school
Gender	
Female	$32.8(\pm 3.7)$
Male	$32.3(\pm 2.9)$
Grade	
Ninth	$44.6(\pm 4.6)$
Tenth	$35.2(\pm 3.8)$
Eleventh	$26.3(\pm 3.5)$
Twelfth	19.2(±3.0)
Race/ethnicity	
White	$30.1(\pm 3.4)$
Black	$34.7(\pm 4.5)$
Hispanic	$39.4(\pm 5.5)$
Other	33.9(±8.2)
Total	32.5(±2.9)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-11. Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

Survey, 2011—Statewide (All Regions).			
	Home	Vehicle	
	Exposure	Exposure	
	-		
Gender			
Female	$17.7(\pm 3.3)$	$21.7 (\pm 3.7)$	
Male	16.1(±3.1)	18.3 (±2.9)	
Grade			
Ninth	$18.3 (\pm 3.9)$	$19.8 (\pm 3.1)$	
Tenth	20.1 (±3.6)	22.5 (±4.3)	
Eleventh	14.6 (±4.8)	$19.0 (\pm 4.0)$	
Twelfth	12.6 (±4.7)	18.2 (±6.1)	
Race/ethnicity			
White	$17.6(\pm 3.3)$	$20.6(\pm 3.2)$	
Black	$17.3(\pm 4.4)$	$21.4(\pm 4.8)$	
Hispanic	$11.3(\pm 4.0)$	$15.7(\pm 4.5)$	
Other	$14.2(\pm 6.6)$	8.5(±6.0)	
Total	16.9(±2.7)	20.1(±2.7)	

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

	Who want to stop smoking cigarettes	Tried to quit at least once in the past 12 months	When they last tried to quit, stayed off cigarettes for less than 30 days
Gender			
Female	$48.7(\pm 7.1)$	61.1(±6.1)	$39.5(\pm 5.7)$
Male	$40.4(\pm 6.6)$	$62.9(\pm 6.4)$	$39.1(\pm 6.7)$
Grade			
Ninth	$36.8(\pm 13.2)$	$70.5(\pm 11.0)$	$35.3(\pm 11.0)$
Tenth	$50.3(\pm 7.4)$	$61.6(\pm 6.2)$	$41.1(\pm 5.9)$
Eleventh	$40.8(\pm 9.8)$	$60.2(\pm 10.7)$	$40.9(\pm 10.4)$
Twelfth	44.6(±8.5)	$58.7(\pm 9.3)$	$38.7(\pm 7.8)$
Race/ethnicity			
White	44.2(±5.8)	$60.1(\pm 5.3)$	$39.1(\pm 5.8)$
Black	$48.8(\pm 11.9)$	65.6(±12.1)	$43.7(\pm 11.6)$
Hispanic	25.2(±11.8)	$68.3(\pm 10.9)$	$25.5(\pm 10.7)$
Other	34.4(±24.2)	$61.7(\pm 20.9)$	44.5(±19.1)
Total	43.6(±4.9)	62.0(±4.9)	39.2(±4.5)

<sup>†</sup> Ninety-five percent confidence interval.

TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Statewide (All Regions).

"Think young people who smoke cigarettes have more friends."

	Never Smoker	Current Smoker
Gender		
Female	$19.6(\pm 3.1)$	$31.6(\pm 6.4)$
Male	$20.0(\pm 3.4)$	41.7(±5.7)
Grade		
Ninth	$18.7(\pm 3.5)$	$42.7(\pm 12.1)$
Tenth	$22.0(\pm 4.4)$	$37.2(\pm 9.8)$
Eleventh	$18.8(\pm 3.8)$	$36.6(\pm 7.0)$
Twelfth	20.1(±3.7)	$36.2(\pm 10.0)$
Race/ethnicity		
White	$14.0(\pm 2.2)$	$34.1(\pm 4.3)$
Black	$27.0(\pm 3.9)$	$48.8(\pm 14.5)$
Hispanic	$28.9(\pm 6.9)$	$33.3(\pm 13.9)$
Other	23.9(±12.0)	46.1(±18.8)
Total	19.8(±2.6)	37.8(±4.7)

<sup>†</sup> Ninety-five percent confidence interval.